STONEUK

ST-2805



ELECTROMAGNETIC LOCK

DESCRIPTION

The **Stoneuk ST-2805** is a high-strength electromagnetic lock designed for secure access control applications. With a holding force of 280kg (600 lbs), it ensures reliable door locking for both indoor and outdoor environments. The lock features a built-in lock status sensor and LED indicator, providing real-time visual feedback and system integration capabilities. Ideal for offices, commercial buildings, and restricted areas, the ST-2805 offers a dependable solution for enhanced door security and monitoring.


FEATURES

- HOLDING FORCE : 280KG (600LBS)
- SIGNAL OUTPUT : FEEDBACK SIGNAL,LED,TIME DELAY,NO/NC/COM/+/-
- SUPPORTS WOODEN DOOR, GLASS DOOR, METAL DOOR, FIREPROOF DOOR
- HIGH STRENGTH MATERIAL, ANODIZED
 ALUMINUM HOUSING
- DESIGN WITHOUT MECHANICAL
 FAILURE.

SPECIFICATION

- Operating Voltage 12/24V DC
- Dimensions 250x47x25mm
- Armature plate: 190x45x11mm
- Weight 2.1 Kg





<u>ST-2805</u>

- * COLLINEAR LOAD TEST 280KG, 600POUNDS.
- * DUAL VOLTAGE 12 OR 24 VDC(OPTIONAL).
- * MOV PROVIDES REVERSE CURRENT PROTECTION.
- * SUITABLE FOR WOODEN DOOR, GLASS DOOR, METAL DOOR, FIREPROOF DOOR.
- * LED INDICATES THE DOOR STATUS.
- * ANTI-RESIDUAL MAGNETISM DESIGNED.
- * INCREASE THE HOLDING FORCE, DUAL INSULATIVE HOUSING